Browse Our HP Color LaserJet CM2320 mfp Series Catalog



HP Color LaserJet CM2320 MFP series

CM2320n • CM2320nf • CM2320fxi



Maximize your budget and turn printed pages into customers.



Enhances productivity

Get advanced print, copy, fax, ¹ and scan capabilities in a single easy-to-use device, eliminating the expense and space of multiple single-function devices. Receive both black-and-white and color output quickly with print speeds of up to 21 pages per minute (ppm) on letter-size paper.

Typical office print job Time To Completion can be nearly three times faster with the MFP's Instant-on Technology.² Instant-on Copy with LED-based scanning technology delivers your first copy in seconds.

With a total input capacity of up to 550 sheets, you can stay focused on your work. Use the 50-page automatic document feeder (ADF) for unattended copying, scanning, and faxing. Save time with built-in automatic two-sided printing and copying.

The HP Color LaserJet CM2320fxi MFP's photo memory card slots make it simple to create impressive marketing materials with high-quality photo accents.

Import images directly into business documents, or print them from the control panel.

Unlimited possibilities

Print professional-quality brochures and more at your desk. Free HP marketing tools allow you to create and customize your documents instantly, so each communication speaks directly to your customers' needs.³ With the included Print View feature, you can change print settings and see immediately how those changes affect your document before you print. Determine costs beforehand for better project planning and decision-making with the Print Cost Estimator.

Easily get optimized print quality for each of the many supported media types. With a single click in your print driver, select from a collection of pre-configured Printing Shortcuts—including settings for everyday printing, envelopes, glossy paper, and more.

Simplifies your office

We designed this MFP so that it's not just easy to use it's also easy to install, share, and maintain. Set-up wizards and installers help you get started. Original HP print cartridges are preinstalled and a handy front-access panel makes replacement effortless.

Ideal for small work teams, the MFP offers networking performance. Manage your MFP with HP Easy Printer Care Software, a simple tool to deploy, monitor, and maintain up to 20 devices.

¹ Standard and optional features vary by model. For more information, see "Series at a glance" on page 2.

² Instant-on Technology uses cutting-edge fuser technology to produce the first page faster when a device is coming out of low power mode. An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select competing products. Actual results may vary.

³ The HP Marketing Resources Software may be downloaded for free through the URL included with the MFP's installation software. For more information, visit www.hp.com/go/ihm.


HP Color LaserJet CM2320 MFP series

- 50-sheet ADF for hands-free copying, scanning, and faxing
- Intuitive color graphical display with fax, copy, and scan keys, a built-in help function, and photo preview
- 3 150-sheet output bin
- 4 One-door access to the preinstalled, easy-to-replace Original HP print cartridges with HP ColorSphere toner
- 50-sheet multipurpose tray for convenient use of specialty papers
- 6 250-sheet input tray 2 with the option to add a 250-sheet input tray 3 for a maximum input capacity of 550 sheets
- Color flatbed scanner with LED illumination
- 8 RJ-11 fax ports
- 9 A powerful 450 MHz processor and 160 MB memory, expandable to 416 MB
- 10 Built-in Ethernet/Fast Ethernet networking
- 11 Hi-Speed USB 2.0 port



HP Color LaserJet CM2320nf MFP shown. CM2320fxi model, with automatic two-sided printing and copying, photo memory card slots and additional 250-sheet input tray, shown in "Series at a glance" table below.





Series at a glance			
	CM2320n	CM2320nf	CM2320fxi
Part number	CC434A	CC436A	CC435A
50-sheet ADF, 50-sheet multipurpose tray 1, and 250-sheet input tray 2	✓	V	✓
250-sheet input tray 3	Optional	Optional	✓
Color printing, scanning, and copying	✓	✓	✓
Built-in Ethernet/Fast Ethernet networking	✓	✓	✓
Fax (including FaxTel and private receive)	Not available	✓	✓
Color graphical display	Not available	✓	✓
Two-sided printing and copying	Manual	Manual	Automatic
Photo memory card slots	Not available	Not available	√
Scan to e-mail	PC assisted	Stand alone	Stand alone

Get copy-shop quality color consistently and effortlessly with an affordable MFP.

Professional-looking output

HP ColorSphere toner combined with Original HP specialty media make it possible to produce amazing copy-shop quality documents in your office. Immediately see the difference with sharper text and graphics and vibrant, attention-grabbing color.

Make no compromises when it comes to color quality. HP ImageREt 3600 print technology is the difference between color that looks good, and color that looks exceptional. This suite of innovative HP color technologies enables you to create professional marketing materials in-house for a fraction of what you'd spend at a copy shop.

Get the best image quality automatically with Photo mode, which optimizes photos based on the media. The Autoselect setting determines whether the original is text, image, or mixed for higher-quality copies.

More affordable than ever

Not only does this HP Color LaserJet MFP have a great purchase price, but you can print black pages for the same cost as printing black pages on a black-and-white HP laser device.4 And you can still print in color!

The device can also help reduce operating expenses over time. The four all-in-one individual print cartridges incorporate HP toner and the imaging drum in one supply and are designed to reduce waste and unnecessary replacement expenditures.5

Keep color usage under control with password-protected color lockout features. The color copy lockout feature turns off color copies, while photo lockout blocks card slots on the HP Color LaserJet CM2320fxi MFP from being read to save unnecessary photo printing expenses.

Get the most out of your MFP with HP accessories, supplies, and services.







The 250-sheet input tray 3 (CB500A) adds media flexibility while increasing total input capacity to up to 550 sheets.6 HP's all-in-one print cartridges

and ColorSphere toner are specifically designed with the MFP to deliver consistent quality and reliable, trouble-free printing.

Choose from a selection of HP papers to create impressive, professional documents.

HP Imaging and Printing Services provide convenient and configurable solutions that help you get the most value out of your printing. Choose the level of support that best fits your business needs.

Replacement print cartridges with HP ColorSphere toner⁵

HP Color LaserJet Black Print Cartridge	CC530A
HP Color LaserJet Cyan Print Cartridge	CC531A
HP Color LaserJet Yellow Print Cartridge	CC532A
HP Color LaserJet Magenta Print Cartridge	CC533A

Paper handling

250-sheet input tray 3° CB500A

64 MB DDR2 144-pin SDRAM DIMM	CB421A	
128 MB DDR2 144-pin SDRAM DIMM	CB422A	
256 MB DDR2 144-pin SDRAM DIMM	CB423A	

UJ574E
UJ575E
UJ576E
UJ577PE
UJ578PE
UJ579PE
HC127PE
H3110E

Paper

North America: www.hp.com/go/paper Europe: www.hp.com/go/learnaboutsupplies Asia Pacific: www.hp.com/apac/printingsupplies Latin America: contact HP via phone:

USA: 1-800-477-5010, Europe: +800 7644 7644,

Asia: 65-6253-8500, Australia/New Zealand: 61-2997-2299LAR

Brasil: sac 0800 70 300 70

Solutions

www.hp.com/go/gsc

⁴ Compared to HP LaserJet P2030 Printer series. Assuming customer is printing at least 30% of total pages in color with content similar to the color ISO/IEC 19798 test suite (www.iso.org/jtc1/sc28) and overall average job length of three pages. Yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed or copied, and other factors.

⁵ Replacement cartridges: average continuous composite cyan/yellow/magenta yield 2,800 standard pages and average continuous black cartridge yield 3,500 standard pages. Declared yield values for replacement cartridges in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies

The 250-sheet input tray 3 is an optional accessory for the CM2320n and CM2320nf models only and is standard on the CM2320fxi model. No additional input trays can be added to the

Availability may vary by region. For more information, visit www.hp.com/services/printer.

HP Color LaserJet CM2320 MFP series

	HP Color LaserJet CM2320n MFP (CC434A)	THE CONDITION CONTEST	Onf MFP (CC436A)	HP Color LaserJet CM2320fxi MFP (CC435A)		
Print and copy speed®		Black and white and color:	up to 21 ppm. letter			
Document delivery speed	Black-and-white and color: up to 21 ppm, letter First page out (letter): black-and-white: as fast as 17.8 seconds (Ready), as fast as 17.9 seconds (law power mode); color: as fast as 17.9 seconds (Ready), as fast as					
Resolution	18.3 seconds (low power mode) Print: 600 by 600 dpi, HP ImageREt 3600 technology; Copy: up to 600 by 600 dpi; Scan: up to 1200 by 1200 dpi optical or up to 19,200 by 19,200 dpi enhanced resolution					
Features	rrine. 600 by 600 dpi, rir imageker 3000 lecrinology, Co	ру: ир ю ооо ру ооо арг, эсан: г	p to 1200 by 1200 up of	prical of up to 17,200 by 17,200 upi ennanced resolution		
Copying	lestration constitueles constitue to 90 multiple conies scan one	a seint many sulleting sud-up/en	large from 25 to 400% full	th consists accepts lit to come has as four pages to one come		
copying	Instant-on copy, duplex copy, up to 99 multiple copies, scan once print many, collation, reduce/enlarge from 25 to 400% (with page-size presets), fit to page, two or four pages to one page, customizable copy presets, contrast (lighter/darker), resolution (copy quality), network protocols supported, optimize copy selection (with presets: autoselect, mixed, printed picture, photograph text)					
Scanning	High depth-of-focus CCD scanner with instant-on LED illumi		s, 3-D objects and double	page spreads minimizing visible black lines at the binding		
Faxing Photo memory cards supported	Up (re	33.6 kbps, duplex fax receive, Fax Setup Wizard, FaxTel, private fax receive, auto fax reduction, fax forwarding, fax polling ive only), fax confirmation report, junk fax blocking, fax security, eight cover page templates available, broadcasting (to up to ocations), speed dial (up to 8 numbers). 120-entry phone book, auto redialing, send fax from PC, delayed sending, distinctive ring, telephone mode supported, digital storage of up to 250 fax pages CompoctFlash Type I and II, Memory Stick, Memory Stick PRO,				
50.000.000	200 200			Memory Stick Duo, Secure Digital, Multi Media Card, xD-Picture Card		
Color Lockout	Turn color copy off/on ar	nd password protect		Turn color copy and photo card slots off/on and password protect		
Processor		450 MH	Z	4.		
Memory	(2) (84)	160 MB, expandab	e to 416 MB			
Durability ratings	Recommended monthly volume: 1,000 to 2,500 pages; Duty cycle: up to 40,000 pages 10					
Poper			- / Tage			
Input	50-sheet ADF, 50-sheet multipurpose tray 1, 2:	50-sheet tray 2, optional 250-shee	tray 3	50-sheet ADF, 50-sheet multipurpose tray 1, 250-sheet tray 2, 250-sheet tray 3		
Output		150-sheet face-daw	n output bin	The state of the s		
Two-sided printing and copying						
Sizes	Multipurpose tray 1: letter, legal, executive, 8.5 by 13 in, 3 by 5 in, 4 by 6 in, 5 by 8 in, postcards (Standard #10), envelopes (No 10, Monarch); custom: 3 by 5 in to 8.5 by 14 in Input trays 2 and 3: letter, legal, executive, 8.5 by 13 in, 4 by 6 in, 5 by 8 in, envelopes (No 10, Monarch); custom: 3.94 by 5.83 in to 8.5 by 14 in ADF: letter, legal, executive; Automatic duplexer: letter, legal, 8.5 by 13 in					
Weights	Autri inner, legal, executive, Automatic auptexer: tener, legal, 6.3 by 13 in Multipurpose troy 1: 1 fo to 47 lb (up to 58 lb with HP laser allossy photo papers)					
	Input trays 2 and 3: 16 to 43 lb (up to 47 lb with postcards, up to 58 lb with HP laser glassy photo papers) ADF: 16 to 24 lb; Automatic duplexer: 16 to 43 lb					
Types	Paper (bond, brochure, colored, glossy,			ough), transparencies, labels, envelopes		
Connectivity						
Interfaces	Hi-Speed USB 2.0 port, built-in Ethernet/Fast Ethernet networking	Hi-Speed USB 2.0 port, built-in Ethernet/Fast Ethernet networking, R3-11 line-out port, R3-11 fax port				
Languages and fonts Client operating systems	Languages: HP PCL 6, HP postscript Level 3 emulation, HP PCL5c emulation; fonts: 80 TrueType internal scalable PCL 6, 80 TrueType internal scalable PostScript Microsoft® Windows® 2000, Windows Server 2003, Certified for Windows Vista®, Windows XP® Home, Windows XP Media Center, Windows XP Professional, Windows XP Professional x64					
Network operating systems	319 A21 D10 32 H30H32 H40H40 H00 H30 H30 H30 H30 H30 H30 H30 H30 H3	Windows XP Tablet PC; Mac	OS X v10.3 or higher			
Network protocols	Via built-in networking solution: Windows 2000 (print drivers only), XP, XP 64-Bit, Server 2003/200B, Certified for Windows Visto; Mac OS X v10.3, v10.4, v10.5; Red Hat / SuSE Linux 6.x and later; Novell NetWare 3.2 and later (NDPS-TCP/IP only); Citrix MetaFrame (print only); Windows Terminal Services (print only) ¹¹					
Security	Via builhin networking solution: TCP/IP, IPv4, IPv6; Print: TCPIP port 9100 Direct Mode, IPD (raw que support only), Web Services Printing: Photo card: CIF5; Discovery; SEP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stoteless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv1, HTTP Password-protected network embedded Web server, enable/disable Network ports, SNMPv1 community password change					
Dimensions (w by d by h)	19.6 by 19.4 b		ore reasons ports, at swift	19.6 by 19.4 by 25.6 in		
Weight (includes print cartridge)	64.8 lb	y 21.7 in 65 lb		76.9 lb		
What's in the box			lar lavarlet ariet cartiidaas			
venor's in me box	Guide, support flyer); CD (User's Guide and device software); co	c, cyan, magenta, and yellow HP Color LaserJet print cartridges with ColorSphere toner; ¹² in-box documentation (Getting Started control panel faceplate; Readiris PRO OCR software and registration card; ADF input support; HP Marketing Starter Kit (specially sedio samples, discounts to partner offerings, document templates)				
Also includes				Fax capability, 2.4-inch color graphics display, 250-sheet input tray 3, automatic two-sided printing, photo memory card slots, phone cord(s)		
Warranty	One-year, o	onsite repair, limited hardware HP	warranty; telephone and w			
		77.75				
Environmental ranges			icity Consumption (TEC): 2.53			
Recommended temperature	59 to 80.6 degrees F		qualified models, see www.	hp.com/go/energystar		
Storage temperature Recommended relative humidity	4 to 104 degrees F 20 to 70 percent	Certifications Solety		sl), IEC 60825-1+A1+A2, UL/cUI Listed (US/Canada), EN		
Storage relative humidity	10 to 95 percent	Solety		1 Laser/LED Device) GB4943-2001,		
Altitude	Up to 9,000 ft		- auco i intima (com			
Acoustics 13		EMC	CISPR 22: 2005/EN 550	22: 2006 Class B, EN 61000-3-2: 2000+A2, EN 61000-3-3: 1995+A1		
Sound power	Active, print: CM2320n, CM2320nf: 6.6 B(A); CM2320fxi: 6.8 B(A) Active, copy or score: CM2320n: 6.7 B(A); CM2320nf: 6.8 B(A); CM23	320fxi: 6.9 B(A)	EN 55024: 1998+A1+A G89254-1998,	 FCC Tife 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada). 		
Bystander sound pressure	Ready: CM2320n, CM2320nf, CM2320fxi: inaudible Active, print: CM2320n, CM2320nf: 53 dB(A); CM2320fxi: 55 dB(A) Active, copy or scan: CM2320n, CM2320fxi: 54 dB(A); CM2320nf: 5: Ready: CM2320n, CM2320nf, CM2320fxi: inaudible	Telecom ES 203 021, FCC Part 6B, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico)				
Power specifications 14		Works with I	# SureSupply. To learn more.	visit www.hp.com/learn/suresupply		
	100 to 127 V (±10 percent), 60 Hz (±3 Hz); 220 to 240 V (±10 percent)			Account of the control of the contro		

Exact speed varies depending on system configuration, software application, driver, and document complexity.

**HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

**Duty cycle is defined as the maximum number of pages in a month oil imaged output. This value provides a comparison of product robustness in relation to other HP Laserjet or HP Color Exserpt devices, and enables appropriate deployment of printers and MPFs.

**Not all protocol and operating system configurations are supported. For more information, go to www.hp.com/support/set_printing.

**The MPF includes irreductory print cortridges (overage continuous composite cyan/yellow/magenta contridge yield 7,200 pages.)

**The MPF includes irreductory print cortridges (overage continuous composite cyan/yellow/magenta contridge yield 3,500 standard pages and average continuous composite cyan/yellow/magenta cartridge yield 3,500 standard pages and average continuous composite cyan/yellow/magenta cartridge yield 7,800 standard pages and average continuous black contridge yield 3,500 standard pages and average continuous black contridge yield 3,500 standard pages and average continuous black contridge yield 3,500 standard pages.

**The MPF includes irreductory print cortridges in accordance with ISO/IEC 19798. Actual yields very considerably based on increase pages.

**The MPF includes irreductory printing system contridges in accordance with ISO/IEC 19798. Actual yields very considerably based on increase pages.

**The MPF includes irreductory printing of the page of the rages printed and other factors. For more information, visit work ha com/a

onligaration tested: simples printing, A4 paper at an average of 20 ppm.

over requirements are based on the country/region where the printer is sold. Do not convert operating valtages. This will damage the printer and void the product warranty.









ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Linux is a U.S. registered trademark of Linus Torvalds. PostScript is a trademark of Adobe Systems Incorporated. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

Copyright 2008-2009 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

To learn more, visit www.hp.com

4AA2-0270ENUC, April 2009, Rev 1.1

